

“ PRELIMINARY” President 107' Triple Deck Mega Yacht Specifications

1. Main dimensions

Length overall (including swim platform)	106' – 8”(32.51M)
Max. Beam	23' – 8” (7.21M)
Fuel Capacity	4,000 US. Gals. (15,140 Lts)
Water Capacity	700 US. Gals (2,650 Lts)

2. Standard Power

1. Twin Caterpillar® C-32 Acert diesel engines, rating 1,825mhp x 2, Gear ration 2.467:1 with 2 PTO unit for stabilizer/thruster system
2. Northern Lights® generators with sound shield 2 set (M944W rating 30KW/60HZ and M1064D rating 40KW/60HZ).
3. Chilled Water Air conditioning system, (Total 15 Tons) for engines room and all cabins.
4. Aqualoy® 22HS Propeller shafts, 4” diameter
5. 5 Blade NiBral Propellers
6. Trac® 300/12sq ft. roll fin stabilizer system
7. Trac® 45HP hydraulic bow thruster
8. Trac® 45HP hydraulic stern thruster

3. Hull and Superstructure

1. CCP® 953WN099 gelcoat, white color
2. All fiberglass throughout the boat laid up by hand
3. Modified V hull bottom
4. Stitched multi-axial reinforced single skin hull bottom
5. Hydrex vinyl ester resin for hull skin-coats
6. Foam sandwich construction for hull topsides
7. ATC® Corecell PVC foam sandwich construction in vacuum bag
8. Transverse and longitudinal stringers glassed in the hull bottom
9. The interior of hull bottom painted out in gelcoat
10. Deck foam core construction
11. The hull and deck are bolted and lamination with fiberglass together
12. Non-skid deck surface
13. International®. Epoxy osmosis protect primer
14. Bottom paint anti-fouling, black standard

15. Hull boot stripe, black standard

4. Electrical Equipments

1. Glendinning[®], CM-8/24V.(100AMP) cable master shore power cable winder (2)
2. Yellow vinyl jacketed shore power cable, 90 feet (2)
3. Charles[®] 100A A-B Selector and ISOBOOST transformer 100AMP (2) ,
ISOBOOST TRANSFORMER 50A (1)
4. AC and DC circuit control breakers
5. Combo AC/DC meter w/two current sensor
6. Aqua Signal[®] navigation light (5)
7. Kahlenberg[®] D-1 dual horn with KA-500 air compressor
8. Sealed maintenance free battery 255AH, (8) w/FRP. Battery boxes for 24V service
9. Sealed maintenance free battery 105AH, (2) w/FRP. Battery boxes for 12V service
10. Sealed maintenance free battery 210AH, (4) w/FRP. Battery boxes for engines
11. Sealed maintenance free battery 105AH, (2) w/FRP. Battery boxes for generator
12. Automatic bilge pump 24VDC (5) with automatic float switches & indicating
lights and alarm system
13. Bonding system w/zinc anodes on transom
14. Trace[®] SW4024MC2 Inverter/charger (2) with interface cable 50ft
15. Intercom(4)
16. Stereo wiring w/speakers (14)
17. Ritchie[®] SS5000, flush mount compass (2)
18. Color-coded wiring system
19. On/off switch for engines & generator
20. Emergency parallel switch between engines and service's battery bank
21. EXALTO[®] wipers (5)
22. Engine room light 24VDC (6) and 120AC fluorescent light (4)
23. ACR[®] RCL-100 remote control searchlight
24. Par[®] 45900-0001 flood lights , mounted in aft deck overhead and P/H deck
overhead each 3
25. Powerline[®] 160A large frame 24V alternator w/regulator
26. Engine room blower (4)
27. Water heater w/heat exchanger 30 US. Gals (2)

5. Mechanical Equipments

1. Racor[®], 75/1000 MAX, dual fuel filter (2) for engines
2. Racor[®], 75/900MAX, dual fuel filter(2) for generator
3. Under water exhaust system with idle by pass mufflers
4. Hydraulic power steering system
5. Manual bilge pump (1)

6. Bronze sea water strainer
7. Bronze thru-hull fitting
8. Bronze or stainless steel strut
9. Hot and cold water pressure system
10. Stainless steel 316 fresh water tank w/gauge
11. Aluminum fuel tanks (paint with anti-rusting paint)
12. Headhunter[®] fresh water pressure system with pump (2) AC and (1) DC
13. Fiberglass holding tank 120 US. Gals with lever indicator
14. Macerator pump (2)
15. Hamman[®] waster treatment system super mini 24V
16. Dual shore water connection
17. Bilge water level detectors(4)
18. Glendenning[®] EEC-3 electric engine controls
19. Blower for each heads
20. Y valve for heads
21. Sump tank with pump 3 set
22. Engine room fire detector
23. Reverso[®] GP705, Oil-change system for main engines and generators
24. Fireboy[®] MA2-1500-FM200, Fire extinguishing system with manual and automatic discharge
25. Stainless steel engine footing

6. Fly Bridge

1. Fiberglass radar arch with 24VDC light (3)
2. Non-skid deck surface
3. Wet bar
4. Tinted venture windshield w/grab rail
5. Molded instrument console w/complete instrumentation
6. Glendinning EEC-3 electric engine controls
7. Steering wheel S/S
8. Pilot chair supply by owner
9. Bench seats with vinyl cushions and storage beneath
10. Fiberglass table
11. Waterproof speakers (2)
12. Intercom(1)
13. 120VAC GFCI waterproof receptacle (1)
14. Courtesy light(4)
15. Fresh water wash down faucet (1)
16. S/S handrail
17. Cabinet and wiring for B.B.Q

18. GE[®] ZIBS240PSS ref/ice maker
19. Non skid deck
20. Reinforcement for crane and dinghy
21. Stainless steel stanchion and railing
22. Steelhead[®] SM2000R, crane 120VAC/60HZ

7. Pilothouse Deck

1. Stainless steel access door to aft pilothouse deck
2. Maple/cherry cabinsole
3. Main station w/complete instrumentation
4. Wooden/stainless steel steering wheel
5. Pilot chair supply by owner
6. L-settee with hi-lo table
7. Lockers/cabinet
8. GE[®] ZIBS240PSS ref/ice maker
9. 120VAC or 24VDC recess light (12)
10. 120VAC outlet (3)
11. Swivel steps to main deck
12. Air conditioning 24,000btu for P/H

8. Pilothouse Mater Stateroom

1. Walk around berth with storage under
2. Night tables with two drawers on both side of berth
3. Hanging locker (1)
4. Private door to head
5. 24VDC light (4)
6. 120VAC light (8)
7. 120VAC receptacles (3)
8. Drawers
9. TV lifter with 37" TV and DVD player
10. Air conditioning, 16,000 BTU
11. Arm chair (1)
12. Rectangular ottoman (1)

9. Aft Pilothouse Deck

1. Flag pole socket (1).
2. Teak ensign flag 6ft (1)

10. FWD & Side of Main Deck

1. Twin S/S navy anchor (160 lbs each)
2. Twin stem head rollers with automatic anchor launch facility
3. 1/2" HT chain, 200ft (2)
4. Two mooring bollards forward with rope fairleads
5. Rub rail with stainless steel trim
6. S/S hawse pipe with spring cleat (4)
7. Chain locker with fiberglass hatch(1)
8. Fiberglass windows frame with tempered glasses
9. Fresh water wash down faucet (1)
10. Raw water wash down faucet (1)
11. Flag pole socket (1)
12. Teak ensign flag 2ft length (1)
13. Teak deck
14. 316 S/S stanchions & handrails
15. Maxwell[®] VWC – 4000HYD windlass (2) w/ hand held control & chain counter
16. Fore deck storage locker for fenders and ropes
17. Seats with table

11. Aft of Main Deck

3. Teak deck
4. Extend hard top over deck with stainless steel pipe supports
5. S/S mooring cleat (2)
6. S/S hawse pipe with roller
7. Maxwell[®] VC2200 vertical electric winches (2)
8. Stainless steel frame salon access sliding door
9. Fresh water wash down faucet (1)
10. Raw water wash down faucet (1)
11. Transom shower hot & cold water
12. Aft body swim platform
13. Teak stairs from aft deck to swim platform
14. Teak stairs from aft deck to fly bridge
15. 120VAC GFCI waterproof receptacle (1)
16. Hard top lights (6)
17. Courtesy light 24VDC (2)
18. Fiberglass bulwark door (2)
19. Fiberglass bench with vinyl cushions on back side
20. Wet bar with GE[®] ZIBS240PSS ref/ice maker

12. Interior

1. 6" mattress +1-1/4" mattress pad , bed spread w/standard fabric
2. Teak wood interior wall covering with satin finishing

3. Varnished marine plywood cabinsole with standard carpets throughout except galley, crew quarter, pilothouse and heads.
4. Vinyl on ceiling
5. Standard fabrics curtains

13. Country Kitchen

1. Teak/holly cabinsole
2. Storage lockers/cabinet
3. U shape dinette with fabric cushion with table
4. 24 VDC recess lights (6)
5. 120VAC receptacles (2)
6. Pantograph side doors (2)

14. Galley

1. GE® JP950WKWW, 30" electric cook top
2. GE® SCA1001KSS, microwave
3. GE® ZISS480DRSS, side by side refrigerator
4. GE® ZBD0710KSS, dish washer
5. GE® ZEK938SFSS, built-in electric single oven
6. Broan® 1052B, trash compactor
7. U-Line® 2015WC Wine cooler, 120VAC/60HZ (2)
8. Insinkerator® Pross-4 garbage disposal
9. Oak cabinsole
10. Stainless steel double sink
11. 24VDC lights (6)
12. 120VAC receptacles (2)
13. Single lever kitchen faucet
14. Drawers
15. Granite counter top

15. Day Head

1. Medicine cabinet w/mirror (1)
2. Headhunter® super bowl toilet
3. Granite cabinsole
4. 24VDC lights (2)
5. 120VAC GFCI receptacle (1)
6. Granite counter top
7. Basin with faucet

16. Salon and Dining room

1. Carpeting cabinsole
2. 42" Plasma TV with cabinet
3. Cabinet and wiring for stereo (no unit)
4. 24VDC recess lights (6)

5. 120VAC recess light (10)
6. 120VAC receptacles (4)
7. Salon settees and coffee table
8. Dinette table with chairs (6)
9. Stainless steel frame salon access sliding door
10. Air conditioning 34,000 BTU
11. Wet bar
12. GE[®] ZDIS15CDD automatic ice maker
13. GE[®] ZDBD240NBS Beverage center

17. Fwd. VIP staterooms

1. Berth w/storage under
2. Hanging locker (2)
3. S/S frame opening portlight (2)
4. Private door to head
5. Vanity w/mirror (1)
6. 24VDC light (4)
7. 120VAC light (4)
8. 120VAC receptacles (2)
9. Drawers
10. Full size mirror (1)
11. Air conditioning, 12,000 BTU

18. Fwd. VIP stateroom heads

1. Medicine cabinet w/mirror (1)
2. Headhunter[®] super bowl toilet.
3. Granite cabinsole
4. 24VDC light (3)
5. 120VAC GFCI receptacle (1)
6. Granite counter top
7. Basin with faucet
8. Stall shower with granite floor

19. Middle Guest Stateroom

1. Two berths with storage under.
2. Hanging locker (1)
3. S/S frame opening portlight (3)
4. Private door to head
5. Vanity w/mirror
6. 24VDC light (4)
7. 120VAC light (4)
8. 120VAC receptacles (2)
9. Air conditioning. 12,000 BTU

20. Middle Guest stateroom heads

1. Medicine cabinet w/mirror (1)
2. Headhunter[®] super bowl toilet.
3. Granite cabinsole
4. S/S frame opening portlight (1)
5. 24VDC light (3)
6. 120VAC GFCI receptacle (1)
7. Granite counter top
8. Bain with faucet
9. Stall shower with granite floor

21. Mater Stateroom

1. Walk around berth with storage under
2. Night table with two drawers on both side of berth
3. Walking in hanging locker (1)
4. Private door to head
5. S/S frame opening portlight (4)
6. 24VDC light (4)
7. 120VAC light (8)
8. 120VAC receptacles (3)
9. Drawers
10. 32" LCD TV with DVD player
11. Air conditioning, 16,000 BTU
12. GE[®] Washer (WBVH6240FWW) +Dryer (DBVH512EFWW) outside master room stbd.

22. Master Head

1. Medicine cabinet with mirror (2)
2. Headhunter[®] super bowl toilet (1)
3. Granite cabinsole
4. S/S opening portlight (2)
5. 24VDC light (6)
6. 120VAC GFCI receptacles (2)
7. Granite counter top
8. Basin with faucet (2)
9. Shower door
10. Jacuzzi tub
11. Stall shower with granite floor

23. Crew cabin

1. Hi-lo berths
2. Vanity with mirror
3. Hanging locker (1).
4. Drawer storage under lower berth
5. Private door to head
6. S/S frame opening portlight (1)
7. 24VDC lights (4)
8. 120VAC lights (4)
9. 120VAC outlet (1)
10. Air conditioning, 8,000 BTU

24. Crew Head

1. Medicine cabinet w/mirror (1)
2. Headhunter[®] royal flush toilets
3. Stall shower with fiberglass floor with teak grate
4. 24VDC light (3)
5. 120VAC GFCI water receptacle (1)
6. Granite counter top
7. Basin and faucet
8. Teak/holly floor

25. Captain Cabin

1. Berth with storage under
2. Vanity
3. Hanging locker (1)
4. Private door to head
5. S/S frame opening portlight (1)
6. 24VDC lights (4)
7. 120VAC lights (4)
8. 120VAC outlet (1)
9. Air conditioning, 8,000 BTU

26. Captain Head

1. Medicine cabinet w/mirror (1)
2. Headhunter[®] royal flush toilets
3. Stall shower with fiberglass floor with teak grate
4. 24VDC light (3)
5. 120VAC GFCI water receptacle (1)
6. Granite counter top

7. Basin and faucet
8. Teak/holly cabinsole

27. Crew galley

1. Teak wall covering
2. Teak/holly floor
3. S/S frame opening portlight (1)
4. 120VAC GFCI waterproof receptacle (2)
5. Granite counter top
6. S/S sink with faucet
7. Lockers
8. Pantograph access door to swim platform
9. S/S frame watertight engine room access door
10. Air conditioning, 8,000 BTU
11. U-Line[®] 15R Refrigerator
12. Kenyon[®] B41601 cook top (dual burner) 120VAC
13. GE[®] JVM1790SK Profile microwave 120VAC

Specifications are subject to change without notice